

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1902	(keyboard or keypad or key-board) with (chang\$5 or adjust\$5 or flip\$5 or turn\$5 or rotat\$5 or mov\$5) with (fulcra or fulcrum or center or pivot or midpoint or middle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:29
S2	195	S1 and qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:27
S3	8	S1 and qwerty and abc\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:29
S4	327	(keyboard or keypad or key-board) with (fulcra or fulcrum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:31
S5	1	S4 and qwerty and abc\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:29
S6	3	S4 and qwerty and dvorak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:31
S7	561	(keyboard or keypad or key-board) same (fulcra or fulcrum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:20
S8	3	S7 and qwerty and (dvorak or ABC\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:32
S9	7	S7 and qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:32
S10	2333	(keyboard or keypad or key-board) same (rotat\$5 or turn\$5 or revolv\$5) same (center or midpoint or middle or fulcra or fulcrum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:32
S11	175	S10 and qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:32
S12	40	S10 and qwerty and (dvorak or ABC\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:33
S15	1004	(keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5) with (hinge or fulcr\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:25

EAST Search History

S16	70	S15 and ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or alternat\$5 or designat\$5)) and qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:22
S17	4	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5) with (hinge or fulcr\$5)) same ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or alternat\$5 or designat\$5)) same qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:26
S18	5	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5) with (hinge or fulcr\$5)) same ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or alternat\$5 or designat\$5)) same qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:27
S19	20	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5) with (hinge or fulcr\$5)) same ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or alternat\$5 or designat\$5)) and qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:36
S22	137	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5)) same ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or alternat\$5 or designat\$5)) same qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:37
S23	161	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5)) same ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5)) same qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:39
S24	24	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) same ((keyboard or keypad or key-board) near4 (chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5)) same qwerty same (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:42
S25	31	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) same ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5)) same qwerty same (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:43
S26	30	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) same ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5)) same (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and (qwerty and abc\$6 or dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:44
S27	30	((keyboard or keypad or key-board) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) same ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5)) same (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((qwerty and abc\$6) or dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:46
S28	51	((keyboard or keypad or key-board or key) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) same ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5)) same (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((qwerty and abc\$6) or dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:50
S29	70	((keyboard or keypad or key-board or key) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((qwerty and abc\$6) or dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:52
S30	48	((keyboard or keypad or key-board or key) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((qwerty and abc\$6) or (qwerty and dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:54

EAST Search History

S31	22	((template or plate or face or surface) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((qwerty and abc\$6) or (qwerty and dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:56
S32	5568	((template or plate or face or surface) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((keyboard or keypad or key-board or key) near3 (template or plate or face or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:58
S33	1180	((template or plate or face or surface) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((keyboard or keypad or key-board) near3 (template or plate or face or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:59
S34	410	((template or plate or face or surface or layout) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5) with (keyboard or keypad or key-board) near3 (template or plate or face or surface or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:08
S35	26	S34 and ((user or operator or client or customer) near3 (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) and ((user or operator or client or customer) near3 (select\$5 or choos\$5 or designat\$5) with (keyboard or keypad or key-board or key-pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:04
S36	3489	((template or plate or face or surface or layout or cover\$3) with (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) with (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5) with (button or key or keyboard or keypad or key-board) near3 (arrang\$6 or assign\$7 or template or plate or face or surface or layout or cover\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:28
S37	119	S36 and qwerty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:13
S38	27	("6151012").URPN.	USPAT	OR	ON	2007/06/13 11:21
S39	115	S37 and ((template or plate or face or surface or layout or cover\$3) near4 (button or key or keyboard or keypad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:29
S40	775	((template or plate or face or surface or layout or cover\$3) near3 (rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) near3 (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) and ((chang\$5 or configur\$5 or different or second\$5 or primary or alternat\$5 or designat\$5) with (button or key or keyboard or keypad or key-board) near3 (arrang\$6 or assign\$7 or template or plate or face or surface or layout or cover\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:35
S41	728	S40 and ((template or plate or face or surface or layout or cover\$3) near4 (button or key or keyboard or keypad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:33
S42	3	S40 and ((template or plate or face or surface or layout or cover\$3) near4 (button or key or keyboard or keypad or key-board)) and ((qwerty and ABC\$5) or (qwerty and dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:30
S43	11	S40 and ((template or plate or face or surface or layout or cover\$3) near4 (qwerty or ABC\$5 or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:37

EAST Search History

S44	80993	((template or plate or face or surface or layout or cover\$3) near3 (fold\$5 or rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) near3 (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:41
S45	47	S44 and ((template or plate or face or surface or layout or cover\$3) near4 (qwerty or ABC\$5 or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:40
S46	47	S44 and ((template or plate or face or surface or layout or cover\$3) same (key\$6) same (qwerty or ABC\$5 or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:40
S47	428	((template or plate or face or surface or layout or cover\$3) near3 (fold\$5 or rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) near3 (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) same (key\$2board or key\$2pad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:50
S48	246	((template or plate or face or surface or layout or cover\$3 or label\$3) near3 (fold\$5 or rotat\$5 or turn\$5 or flip\$5 or switch\$5 or revolv\$6)) near3 (hinge or fulcr\$5 axis or axle or pivot\$5 or swivel\$5)) same ((key\$2board or key\$2pad) near5 (template or plate or face or surface or layout or cover\$3 or label\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:52

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	(numeric\$5 near3 (keyboard or keypad or key)) with (set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5) with (country or nation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:35
S2	0	"5523754".pn. and numeric\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:31
S3	0	"5523754".pn. and numb\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:31
S4	2	"5523754".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:32
S5	29	(numeric\$5 near3 (keyboard or keypad or key)) same (set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5) with (country or nation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:38
S6	76	(numeric\$5 near3 (keyboard or keypad or key)) same (set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same ((geographic\$5 near3 (region or location or position)) or country or nation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:39
S7	32	(numeric\$5 near3 (keyboard or keypad or key)) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same ((geographic\$5 near3 (region or location or position)) or country or nation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:48
S8	29	(numeric\$5 near3 (keyboard or keypad or key)) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same (lan or (local adj2 area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:50
S9	26	(numeric\$5 near3 (keyboard or keypad or key)) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:54
S10	1263	(numeric\$5 near3 (keyboard or keypad or key)) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:54
S11	44	(numeric\$5 near3 (keyboard or keypad or key)) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) and (numeric\$5 same (lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:59
S12	20	(alpha\$3numeric\$5 near3 (keyboard or keypad or key)) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) and (numeric\$5 same (lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:00
S13	44	(numeric\$5 near3 (keyboard or keypad or key)) with (assign\$6 or chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) and (numeric\$5 same (lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:05

EAST Search History

S14	1	"20010005199".pn. and numeric\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:04
S15	6	((numeric\$5 near3 (keyboard or keypad or key)) with (assign\$6 or chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same (email or e-mail or internet)) and (numeric\$5 same (lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:06
S16	49	((numeric\$5 near3 (keyboard or keypad or key)) with (assign\$6 or chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same (email or e-mail or internet)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:09
S17	5	((numeric\$5 near3 (keyboard or keypad or key)) with (layout or arrang\$6 or assign\$6 or template or placement) with (assign\$6 or chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6) same (email or e-mail or internet)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:12
S18	187	((numeric\$5 near3 (keyboard or keypad or key)) with (layout or arrang\$6 or assign\$6 or template or placement) with (assign\$6 or chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or arrang\$5 or configur\$6)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:12
S19	71	((numeric\$5 near3 (keyboard or keypad or key)) with (layout or arrang\$6 or assign\$6 or template or placement) with (chang\$5 or modif\$7 or altern\$6 or set\$5 or option or select\$5 or choos\$5 or designat\$5 or configur\$6)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:17
S20	16	((numeric\$3 adj2 (keyboard or keypad or key)) with (switch\$3 or chang\$3) with (alphabet or alpha or abc)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:21
S21	0	((numeric\$3) with (switch\$3 or chang\$3) with (alphabet or alpha or abc)) same (key or key\$2pad or key\$2board) same (text\$3)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:23
S22	41	((numeric\$3) with (switch\$3 or chang\$3) with (alphabet or alpha or abc)) same (key or key\$2pad or key\$2board)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:25
S23	164	((numeric\$3 or number) with (switch\$3 or chang\$3) with (character or alphabet or alpha or abc)) same (key or key\$2pad or key\$2board)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:27
S24	11	((numeric\$3 or number) with (switch\$3 or chang\$3) with (character or alphabet or alpha or abc)) same (email or e-mail or internet) same (key or key\$2pad or key\$2board)) and ((lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:30
S25	2	((numeric\$3 or number) with (switch\$3 or chang\$3) with (character or alphabet or alpha or abc)) same (key or key\$2pad or key\$2board)) and ((lan or (local adj2 area adj2 network))) and ((user or operator) near4 (select\$5 or choos\$5) near5 (e\$5mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:31
S26	8	((numeric\$3 or number) with (switch\$3 or chang\$3) with (character or alphabet or alpha or abc)) same (key or key\$2pad or key\$2board)) and ((lan or (local adj2 area adj2 network))) and ((user or operator) near4 (select\$5 or choos\$5) near5 (e\$5mail or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:33

EAST Search History

S27	56	((numeric\$3 or number) with (switch\$3 or chang\$3) with (character or alphabet or alpha or abc)) and (key or key\$2pad or key\$2board)) and ((lan or (local adj2 area adj2 network))) and ((user or operator) near4 (select\$5 or choos\$5) near5 (e\$5mail or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:35
S28	18	((numeric\$3 or number) with (switch\$3 or chang\$3) with (character or alphabet or alpha or abc)) and (((key or key\$2pad or key\$2board) near3 (number or numeric\$3)) or ((key or key\$2pad or key\$2board) near3 (abc or character or alphabet or alpha)))) and ((lan or (local adj2 area adj2 network))) and ((user or operator) near4 (select\$5 or choos\$5) near5 (e\$5mail or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:41
S29	77	((numeric\$3 or number) with (input\$5) same (input\$5 near3 (character or alphabet or alpha or abc))) and (((key or key\$2pad or key\$2board) near3 (number or numeric\$3)) or ((key or key\$2pad or key\$2board) near3 (abc or character or alphabet or alpha)))) and ((lan or (local adj2 area adj2 network))) and ((user or operator) near4 (select\$5 or choos\$5) near5 (e\$5mail or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:56
S30	1	"6822664".pn. and (input\$5 near3 (number or letter or alpha\$6 or character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:53
S31	1	"6822664".pn. and (text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:53
S32	0	(switch\$5 near4 (input\$5 near3 (character or alphabet or alpha or abc))) same (text\$3 near3 (mode)) and ((key or key\$2pad or key\$2board) near4 (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:58
S33	0	(switch\$5 near4 ((character or alphabet or alpha or abc))) same (text\$3 near3 (mode)) and ((key or key\$2pad or key\$2board) near4 (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:58
S34	1	(switch\$5 near4 ((character or alphabet or alpha or abc))) same (text\$3 near3 (transmi\$7 or send\$5)) and ((key or key\$2pad or key\$2board) near4 (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:59
S35	2	((enabl\$5 or switch\$5 or configur\$5 or chang\$5) near4 ((character or alphabet or alpha or abc))) same (text\$3 near3 (transmi\$7 or send\$5)) and ((key or key\$2pad or key\$2board) near4 (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:59
S36	25	((enabl\$5 or switch\$5 or configur\$5 or chang\$5) near4 ((letter or character or alphabet or alpha or abc))) and (text\$3 near3 (transmi\$7 or send\$5)) and ((key or key\$2pad or key\$2board) near4 (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:01
S37	39	((enabl\$5 or switch\$5 or configur\$5 or chang\$5) near4 ((letter or character or alphabet or alpha or abc))) and (text\$3 near3 (transmi\$7 or send\$5 or messag\$5)) and ((key or key\$2pad or key\$2board) near4 (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:03
S38	100	((enabl\$5 or switch\$5 or configur\$5 or chang\$5) near4 ((letter or character or alphabet or alpha or abc))) and (text\$3 near3 (transmi\$7 or send\$5 or messag\$5)) and ((key or key\$2pad or key\$2board) same (cell or cellphone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:05

EAST Search History

S39	64	((enabl\$5 or switch\$5 or configur\$5 or chang\$5) near4 ((letter or character or alphabet or alpha or abc))) and ((transmi\$7 or send\$3) near3 e\$3mail) and ((key or key\$2pad or key\$2board) same (cell or cell\$2phone or mobile)) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:11
S40	7	((input\$5 or typ\$5) near4 (letter or character or alphabet or alpha or abc)) same (numeric\$5 near3 (key\$2pad or key or key\$2board))) and ((transmi\$7 or send\$3) near3 e\$3mail with (lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:14
S41	12	((letter or character or alphabet or alpha or abc) same (numeric\$5 near3 (key\$2pad or key or key\$2board))) and ((transmi\$7 or send\$3) near3 e\$3mail with (lan or (local adj2 area adj2 network)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 16:20
S42	2	"5949492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:41
S43	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:48
S44	0	"5387042".pn. and russ\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:48
S45	1	"5387042".pn. and (touch\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 16:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(keyboard or keypad) near5 (configura\$5 or substit6 or chang\$5 or alter\$7) near5 (arrang\$6 or structure or layout or pattern) with (network) same (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:53
S2	0	"083211".ap. and (key\$7 same (lan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:52
S3	1	"083211".ap. and (key\$7 same (lan or local))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:53
S4	0	(keyboard or keypad) near5 (configura\$5 or substit6 or chang\$5 or alter\$7) near5 (arrang\$6 or structure or layout or pattern) with (internet or email or e-mail) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:55
S5	21	(keyboard or keypad) near5 (configura\$5 or substit6 or chang\$5 or alter\$7) with (internet or email or e-mail) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:54
S6	62	(keyboard or keypad) with (arrang\$6 or structure or layout or pattern) with (internet or email or e-mail) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:57
S7	2880	(keyboard or keypad) with (internet or email or e-mail) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:57
S8	200	((keyboard or keypad) with (internet or email or e-mail) with button) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 16:57
S9	13	((keyboard or keypad) with (internet or email or e-mail) with ((special or specific or symbol) near4 (key or button))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:03
S10	20	((select\$5 or choos\$5 or designat\$5 or configur\$5) with (keyboard or keypad) with (internet or email or e-mail) with ((internet or email or e-mail) near4 (key or button))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:05
S11	20	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7) with (keyboard or keypad) with (internet or email or e-mail) with ((internet or email or e-mail) near4 (key or button))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:25
S12	24	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7) with (keyboard or keypad) with (internet or email or e-mail) with ((internet or email or e-mail or "at") near4 (character or key or button))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:41
S13	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:13

EAST Search History

S14	2	"5949492".pn..pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:13
S15	2	"5949492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:13
S16	8	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7 or altern\$6 or switch\$5 or substitut\$5) with (keyboard or keypad) with ((internet or email or e-mail or "at") near4 (character or key or button))) and (lan or (local adj2 area adj2 network)) and abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:18
S17	8	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7 or altern\$6 or switch\$5 or substitut\$5) with (keyboard or keypad) with ((web or website or browser or internet or email or e-mail or "at") near4 (character or key or button))) and (lan or (local adj2 area adj2 network)) and abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:18
S18	48	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7 or altern\$6 or switch\$5 or substitut\$5) with (keyboard or keypad) with ((web or website or browser or internet or email or e-mail or "at"))) and (lan or (local adj2 area adj2 network)) and abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:20
S19	42	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7 or altern\$6 or switch\$5 or substitut\$5) with (keyboard or keypad) with ((web or website or browser or internet or email or e-mail)) and (lan or (local adj2 area adj2 network)) and abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:41
S20	3	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7 or altern\$6 or switch\$5 or substitut\$5) with (keyboard or keypad) with ((web or website or browser or internet or email or e-mail)) and (lan or (local adj2 area adj2 network)) and (abc near5 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:21
S21	0	"083211".ap. and (numeric\$6 same local)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:22
S22	0	"083211".ap. and (numeric\$6 same (nation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:23
S23	1	"083211".ap. and (numeric\$6 same (region or area or geograph\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:24
S24	2	"083211".ap. and (numeric\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:22
S25	1	"083211".ap. and (keybo\$6 same (nation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:23
S26	1	"083211".ap. and (numeric\$6 same (situa\$6 or region or area or geograph\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:26

EAST Search History

S27	1	"083211".ap. and (numeric-keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:58
S28	9	((keyboard or keypad) with ((web or website or browser or internet or email or e-mail) near3 (enabl\$5 or compatib\$5))) and (lan or (local adj2 area adj2 network)) and abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:42
S29	9	((keyboard or keypad or key-board) with ((web or website or browser or internet or email or e-mail) near3 (enabl\$5 or compatib\$5 or capab\$6 or friendly or accord\$5))) and (lan or (local adj2 area adj2 network)) and abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:22
S30	264	((keyboard or keypad or key-board) with ((web or website or browser or internet or email or e-mail) near3 (enabl\$5 or compatib\$5 or capab\$6 or friendly or accord\$5))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:44
S31	40	((select\$5 or choos\$5 or designat\$5 or configur\$5 or arrang\$7 or altern\$6 or switch\$5 or substitut\$5) with (keyboard or keypad or key-board) with ((web or website or browser or internet or email or e-mail) near3 (enabl\$5 or compatib\$5 or capab\$6 or friendly or accord\$5))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:47
S32	1	("20020174231".pn. "5523754".pn.) and (lan or (local adj2 area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:49
S33	0	"20020174231"".pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:48
S34	0	"20020174231.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:48
S35	2	"20020174231".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:48
S36	2	"5523754".pn. and key\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:49
S37	0	"5523754".pn. and key\$9 same numeric\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:49
S38	0	"5523754".pn. and numeric\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:50
S39	1	"5523754".pn. and num\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:50

EAST Search History

S40	1	"5523754".pn. and (lan or (local adj2 area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:50
S41	0	"083211".ap. and (keyboard same (options with communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:59
S42	0	"083211".ap. and (keyboard same (options same communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:59
S43	1	"083211".ap. and (keyboard same (options))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:59
S44	0	"083211".ap. and (7c same (options))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:59
S45	2	"083211".ap. and (7dsame (options))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 17:59
S46	1	"083211".ap. and (7d same (options))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 18:00
S47	0	"083211".ap. and (numeric\$9 same (options))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 18:00
S48	405	((keyboard or keypad or key-board) with ((web or website or browser or internet or email or e-mail or address or "at" or special) near3 (key))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:33
S49	239	S48 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) with (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:28
S50	156	S48 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:29
S51	126	((keyboard or keypad or key-board) with ((web or website or browser or internet or email or e-mail or address or "at") near3 (key))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:29
S52	59	S51 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:36

EAST Search History

S53	129	((keyboard or keypad or key-board) with (((web or website or browser or internet or email or e-mail or address) near3 (key)) or (("at" or special) near3 key with (web or website or browser or internet or email or e-mail or address)))) and (lan or (local adj2 area adj2 network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:36
S54	56	S53 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:40
S55	11	("2001/0005199").URPN.	USPAT	OR	ON	2007/06/11 10:39
S56	37	S53 and ((user or operator) with (select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:00
S57	7	("20020156870" "6292172" "6421675" "6487538" "6525748" "6563770" "6834294").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/11 10:47
S58	5	"083211".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:48
S59	2	"083211".ap. and keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 10:48
S60	1	"5917905".pn. and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:00
S61	40	S53 and ((user or operator) same (select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:11
S62	1	"20010005199".pn. and (configur\$5 same map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:02
S63	1	"20010005199".pn. and (map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:03
S64	1	"20010005199".pn. and (map\$5) and configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:03
S65	1	"20010005199".pn. and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:04
S66	2	((user or operator) with (select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) same (qwerty) same abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:12

EAST Search History

S67	4	((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) same (qwerty) same abc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:22
S68	21	((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and ((qwerty) same abc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:27
S69	2	((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and (((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (qwerty)) same ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 abc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:25
S70	3	((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (key-board or keyboard or keypad)) and (((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (qwerty)) and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 abc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:26
S71	107	((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and ((qwerty) and (abc or abcdef))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:41
S72	23	((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and ((qwerty) same (abc or abcdef))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:37
S73	6	(keyboard or keypad) with (rotat\$5 or mov\$5 or flip\$5) with fulcra	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:38
S74	7	(keyboard or keypad) with (switch\$5 or rotat\$5 or mov\$5 or flip\$5) with fulcra	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:40
S75	176	(keyboard or keypad) with (switch\$5 or rotat\$5 or mov\$5 or flip\$5) with fulcr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:44
S76	4	S75 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and ((qwerty))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:45
S77	145	(keyboard or keypad) same ((template or base or cover or overl\$6) with (switch\$5 or rotat\$5 or mov\$5 or flip\$5 or turn\$5) with (lever or fulcr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:49
S78	3	S77 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and ((qwerty))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:51
S79	1818	((keyboard or keypad) with (switch\$5 or rotat\$5 or mov\$5 or flip\$5 or turn\$5) with (pivot or axle or lever or fulcr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:20

EAST Search History

S80	96	S79 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and ((qwerty))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:53
S81	0	S79 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and (qwerty) and (abcdef)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:54
S82	18	S79 and ((select\$5 or choos\$5 or designat\$5 or configur\$5 or chang\$6 or alternat\$5 or alter\$5 or switch\$3) near3 (keyboard or keypad)) and (qwerty) and (dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:32
S83	2195	((keyboard or keypad) with (switch\$5 or rotat\$5 or mov\$5 or flip\$5 or turn\$5) with (template or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:21
S84	11	((keyboard or keypad) with (switch\$5 or chang\$5 or substitut\$5) with (template or plate)) same ((template or plate) with (rotat\$5 or turn\$5 or revolv\$5) with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:24
S85	13	((keyboard or keypad) with (switch\$5 or chang\$5 or substitut\$5 or alternat\$5) with (template or plate)) same ((template or plate) with (rotat\$5 or turn\$5 or revolv\$5) with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:28
S86	119	((keyboard or keypad) with (switch\$5 or chang\$5 or substitut\$5 or alternat\$5) with (face\$6 or surface or template or plate)) same ((face\$6 or surface or template or plate) with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:33
S87	1	S86 and (qwerty) and (dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:34
S88	495	((keyboard or keypad) with (switch\$5 or chang\$5 or substitut\$5 or alternat\$5) with (face\$6 or surface or template or plate)) and ((face\$6 or surface or template or plate) with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:35
S89	7	S86 and (qwerty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:36
S90	32	((keyboard or keypad) with (switch\$5 or chang\$5 or substitut\$5 or alternat\$5) with (face\$6 or surface or template or plate)) and ((face\$6 or surface or template or plate) with around with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:38
S91	4	S90 and (qwerty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:39
S92	12	((keyboard or keypad) with (switch\$5 or chang\$5 or substitut\$5 or alternat\$5) with around with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:38

EAST Search History

S93	73	((keyboard or keypad) with (rotat\$5 or revolv\$5 or turn\$5 or switch\$5 or chang\$5 or substitut\$5 or alternat\$5) with around with (pivot or fulcr\$5 or lever))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:38
S94	12	S93 and (qwerty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 12:39